

POLITECNICO DI TORINO

## (01JEUHT) Formal Languages and Compilers

### Laboratory N°5

Stefano Scanzio  
 mail: [stefano.scanzio@polito.it](mailto:stefano.scanzio@polito.it)  
 Web: <http://www.skenz.it/compilers>



Lab 5

1

## Inherited attributes

- Are useful to express the dependency of a production on its context.

- Example:

`a , b : int ;`

`D → L ':' T ;'`

`L → L1 ',' id`

`L → id`

`T → 'integer'`

`L.type = T.type`

`L1.type = L.type;    put(id.name, L.type)`

`put(id.name, L.type)`

`T.type = type_int`



Lab 5

5

## *L*-attributed grammar

---

- The order in which attributes are evaluated depends on the order in which the parse tree is created or visited.
- Usually, parser follow the same order of the depth-first visit algorithm.
- An *L*-attributed grammar is defined as a grammar whose attributes' values can be calculated by means of a depth-first visit of the parse tree.
- In these grammars, information propagates from left to right (within the parse tree).
- The previous grammar is not an *L*-attributed grammar
  - Information propagates from right to left
  - CUP manages only *L*-attributed grammar



## *L*-attributed grammar

---

- `int a, b;`

$$D \rightarrow T L \text{' ;'}$$

$$L \rightarrow L_1 \text{' , ' id}$$

$$L \rightarrow \text{id}$$

$$T \rightarrow \text{'integer'}$$

$$L.type = T.type$$

$$L_1.type = L.type$$

$$\text{put}(id.name, L.type)$$

$$\text{put}(id.name, L.type)$$

$$T.type = type\_int$$


## Calculating inherited attributes

- In a bottom-up parser, memory is not allocated in the semantic stack until the corresponding symbol is recognized.
- This is troublesome for handling inherited attributes.
- If the grammar is an L-attributed one, this issue can be tackled, possibly with the use of markers:
  - Marker: non-terminal that is expanded with  $\epsilon$  symbol.




## Calculating inherited attributes

- A production with inherited attributes:

$$D \rightarrow T \text{ lid } S$$

$$\text{lid} \rightarrow \text{ID}$$

$$\text{lid.type} = \text{T.type}$$

$$\text{put}(\text{ID.name}, \text{lid.type})$$


## Calculating inherited attributes (I)

- To access to the semantic values stored in the stack in a given position, use the function:

*Object stack(int position)*

```


parser code {
.....
public Object stack ( int position){
  // returns the object at the specified position
  // from the top (tos) of the stack
  return(((Symbol)stack.
    elementAt(tos+position)).value);
}
.....
;}

```

- stack(0)* is the semantic value associated with the symbol in the top of the stack;
- stack(n)* is the semantic value associated with the symbol in the position top+n of the stack



## Calculating inherited attributes (II)



- The 'type' attribute of 'lid' is inherited.
- Its value is present in the semantic stack (in the position of 'T') before 'lid' is created.
- However, it is beyond the semantic scope of the 'lid' production.




## Calculating inherited attributes (III)


With the assumption that the 'lid' symbol is always preceded by a type identifier:

```
lid ::= ID:name {
    String type = (String) parser.stack(-1);
    RESULT = new String (type);
    put(name, RESULT);
};
```

Esempio




## Calculating inherited attributes by means of markers



- If the rule lid ::= ID CM lid ; is added, it is not true anymore that 'lid' is always preceded by a type identifier.
- In the case of the rule: lid ::= ID; the symbol preceding 'ID' in the stack before reducing is 'CM'



## Calculating inherited attributes by means of markers



- By adding an empty rule (marker), one can ensure that the rule `lid ::= ID` is preceded by a type semantic value
  - The marker is used to move a semantic value in a desired position in the stack
- IMP: to have easier semantic actions is always better to have left recursive lists
  - `lid ::= lid CM ID | ID ;`
  - Anyhow, in some grammars, also using left recursive lists, marker are needed



## Example: Calculating inherited attributes by means of markers

```
lid ::= ID:name { :
    RESULT = (String) parser.stack(-1);
    put(name, RESULT);
:} ;

lid ::= ID:name CM Empty lid { :
    RESULT = (String) parser.stack(-1);
    put(name, RESULT);
:} ;

Empty ::= { :
    RESULT = (String) parser.stack(-2);
:} ;
```

GRAMMAR

```
D ::= T lid S ;
Lid ::= ID CM Empty lid
      | ID ;
Empty ::= /* ε */ ;
```



## Intermediate actions

- In order to avoid explicitly introducing a non-terminal with an empty production, one can use in the right-hand side of the production an **intermediate action**.
- Intermediate actions are automatically substituted with a non-terminal symbol, which in turn is given by an empty production.



## Intermediate actions: example

- The following code:

```
lid ::= ID:name CM Empty lid ;  
Empty ::= ;
```

- can be rewritten as:

```
lid ::= ID:name CM {:  
    RESULT = (String) parser.stack(-2);  
    :}  
lid {:  
    RESULT = (String) parser.stack(-1);  
    put(name, RESULT);  
    :} ;
```



scanner.jflex

**Example: marker (I)**

```

import java_cup.runtime.*;
%%
%cup
%unicode

nl = \n | \r | \r\n
id = [a-zA-Z][a-zA-Z0-9_]*
type = int | float | char | double

%%

";"          { return new Symbol(sym.CM);}
";"          { return new Symbol(sym.S);}

{type}       { return new Symbol( sym.TYPE, new String(yytext()) ); }

{id}         { return new Symbol(sym.ID, new String(yytext()) ); }

{nl} | " " | \t { ; }

```



Lab 5

39

parser.cup

**Example: marker (II)**

```

import java_cup.runtime.*;

parser code {
    // Return semantic value of symbol in position (position)
    public Object stack(int position) {
        return (((Symbol)stack.elementAt(tos+position)).value);
    }
};

terminal CM, S;
terminal String TYPE, ID;
non terminal goal, list_decl;
non terminal String decl, lid;

start with goal;

goal ::= list_decl    { : System.out.println("PARSER: Recognized grammar!!");
};

list_decl ::= | list_decl decl;


```



Lab 5

40





## Example: marker (III)

```

decl ::= TYPE lid:x S {
    System.out.println("PARSER: Found declaration of type: " + x);
};

lid ::= ID:name CM {
    RESULT = (String) parser.stack(-2);
}
lid {
    RESULT = (String) parser.stack(-1);
    System.out.println("PARSER: put(" + name + ", " + RESULT + ")");
};



lid ::= ID:name {
    RESULT = (String) parser.stack(-1);
    System.out.println("PARSER: put(" + name + ", " + RESULT + ")");
};
    
```



## Transforming the grammar

- It is possible to avoid using inherited attributes by transforming the grammar.

|   |   |
|---|---|
| $D \rightarrow L ':' T$                             | $D \rightarrow \mathbf{id} L$                       |
| $T \rightarrow \mathbf{integer} \mid \mathbf{real}$ | $L \rightarrow \mathbf{'id} L \mid \mathbf{' :} T$  |
| $L \rightarrow L \mathbf{'id} \mid \mathbf{id}$     | $T \rightarrow \mathbf{integer} \mid \mathbf{real}$ |



## Handling semantic errors

- Semantic errors are usually handled in the actions associated to productions
- Usually, actions verify:
  - That operands types are compatible
  - That variables and functions are declared
  - That the parameters passed to a function are coherent with the function prototype



## Intermediate code generation: the WHILE statement

- As an example of intermediate code generation, a simple WHILE statement :

```

while_c ::= WHILE ( a > 0 ) { /* something */ }
                |   cond   |   stmt   |
  
```

- can be translated in the following intermediate code:

```

L0:  EVAL cond
      GOTO L1
      stmt
      GOTO L0
L1:
  
```

- Where GOTO is a jump instruction executed only if the result of the above EVAL command is 0 (i.e., FALSE)
- L0 and L1 are labels



## Intermediate code generation: the WHILE statement

- A possible solution of the WHILE problem that uses inherited attributes is:

```
wc ::= WHILE cond NT0:x stmt { : Integer[] l = x;  
                                System.out.println( "GOTO L" +l[0]);  
                                System.out.print( "L"+l[1]+":"); :};  
NT0 ::= { : RESULT = new Integer[2];  
          RESULT[0] = genLabel(); //L0:  
          RESULT[1] = genLabel(); //L1:  
          System.out.print( "L"+RESULT[0]+":");  
          System.out.println( "EVAL"+parser.stack(0));  
          System.out.println( "GOTOF L"+RESULT[1]); :};
```

